# Author index


Abbott, J.A. (*see* Krizek, D.T.), 135
Alloatti, G. (*see* Bellando, M.), 231
Altus, D.P. & Canny, M.J. Loading of assimilates in wheat leaves. II. The path from chloroplast to vein, 275
Ascaso, C. & Rapsch, S. Chloroplast-ultrastructure and chlorophyll content of leaves from *Quercus* branches with and without epiphytic lichen thalli, 651
Atwell, B.J., Thomson, C.J., Greenway, H., Ward, G. & Waters, I. A study of the impaired growth of roots of *Zea mays* seedlings at low oxygen concentrations, 179
Azocar, A. (*see* Rada, F.), 501

Baker, N.R. (*see* Percival, M.P.), 41
Baker, N.R. (*see* Ögren, E.), 539
Baskin, T.I., Iino, M., Green, P.B. & Briggs, W.R. High-resolution measurement of growth during first positive phototropism in maize, 595
Bassi, P.K. (*see* Saini, H.S.), 707
Bassi, P.K. & Spencer, M.S. Comparative evaluation of photoionization and flame ionization detectors for ethylene analysis, 161
Beffagna, N. (*see* Pesci, P.), 129
Bellando, M., Alloatti, G., Romani, G. & Marre, M.T. The effect of xanthoxylin (2-oxy,4-6-dimethoxyaceto-phenone) on potassium-dependent acid extrusion in wheat and maize root segments, 231
Bennett, M.D. (*see* Jordan, E.G.), 325
Berg, V.S. Physical, chemical and spectral properties of leaf surfaces of *Berberis aquifolium* (Pursh.), 632
Black, C.R. (*see* Hughes, J.E.), 509
Bliss, D. & Smith, H. Penetration of light into soil and its role in the control of seed germination, 475
Bonzon, M., Degli Agosti, R., Wagner, E. & Greppin, H. Enzyme patterns in energy metabolism during flower induction in spinach leaves, 303
Bosma, W. (*see* De Kok, L.J.), 189
Bown, A.W. $CO_2$ and intracellular pH, 459
Brain, P. & Butler, D.R. A model of drop size distribution for a system with evaporation, 247
Briggs, W.R. (*see* Baskin, T.I.), 595
Browse, J. (*see* Laing, W.A.), 639
Bunce, J.A. Effect of boundary layer conductance on the response of stomata to humidity, 55
Butler, D.R. (*see* Brain, P.), 247

Canny, M.J. (*see* Altus, D.P.), 275
Canny, M.J. (*see* Wang, X.-D.), 669
Chabot, J.F. (*see* Stroshine, R.L.), 7
Chaffey, N.J. (*see* Deane-Drummond, C.E.), 517
Chu, C. (*see* Schulze, E.-D.), 713
Clark, J.A. (*see* Mohamed, H.A.), 361
Cocucci, M. (*see* Zaccheo, P.), 721
Cocucci, S. (*see* Zaccheo, P.), 721
Colman, B. & Espie, G.S. $CO_2$ uptake and transport in leaf mesophyll cells, 449
Cone, J.W., Jaspers, P.A.P.M. & Kendrick, R.E. Biphasic fluence-response curves for light induced germination of *Arabidopsis thaliana* seeds, 605
Cooke, J.R. (*see* Stroshine, R.L.), 7
Cooper, P.J. (*see* Jordan, E.G.), 325
Crane, A.J. Possible effects of rising $CO_2$ on climate, 371
Cross, J.W. Auxin action: the search for the receptor, 351
Cullinan, V.I. (*see* Priestley, D.A.), 557
Cutler, J.M. (*see* Stroshine, R.L.), 7

Deane-Drummond, C.E. Regulation of nitrate uptake into *Chara corallina* cells via $NH_4^+$ stimulation of $NO_3^-$ efflux, 105
Deane-Drummond, C.E. & Chaffey, N.J. Characteristics of nitrate uptake into seedlings of pea (*Pisum sativum* L. cv. Feltham First). Changes in net $NO_3^-$ uptake following inoculation with *Rhizobium* and growth in low nitrate concentrations, 517
De Boer, A.H., Katou, K., Mizuno, A., Kojima, H. & Okamoto, H. The role of electrogenic xylem pumps in $K^+$ absorption from the xylem of *Vigna unguiculata*: the effects of auxin and fusicoccin, 579
De Boer, A.H. & Prins, H.B.A. Xylem perfusion of tap root segments of *Plantago maritima*: the physiological significance of electrogenic xylem pumps, 587
Degli Agosti, R. (*see* Bonzon, M.), 303
DeJong, T.M. & Doyle, J.F. Seasonal relationships between leaf nitrogen content (photosynthetic capacity) and leaf canopy light exposure in peach (*Prunus persica*), 701
De Kok, L.J., Bosma, W., Maas, F.M. & Kuiper, P.J.C. The effects of short-term $H_2S$ fumigation on water-soluble sulphydryl and glutathione levels in spinach, 189
De Man, W. The effect of genotype and environment on the fatty acid content of barley (*Hordeum vulgare* L.) grains, 571
Dodge, D. (*see* Knox, J.P.), 19
Douglas, T.J. NaCl effects on 4-desmethylsterol composition of plasma-membrane-enriched preparations from citrus roots, 687
Douglas, T.J. & Sykes, S.R. Phospholipid, galactolipid and free sterol composition of fibrous roots from citrus genotypes differing in chloride extrusion ability, 693
Doyle, J.F. (*see* DeJong, T.M.), 701
Dracup, M.N.H. & Greenway, H. A procedure for isolating vacuoles from leaves of the halophyte *Suaeda maritima*, 149
Duke, S.O. (*see* Egley, G.H.), 253

Egley, G.H., Paul Jr., R.N., Duke, S.O. & Vaughn, K.C. Peroxidase involvement in lignification in water-impermeable seed coats of weedy leguminous and malvaceous species, 253
Ehleringer, J. (*see* Werk, K.S.), 345
Emanuel, W.R. (*see* Shugart, H.H.), 381
Erwee, M.G., Goodwin, P.B. & Van Bel, A.J.E. Cell–cell communication in the leaves of *Commelina cyanea* and other plants, 173
Espie, G.S. (*see* Colman, B.), 449

Farrar, J.F. The respiratory source of $CO_2$, 427
Flavell, R.B. (*see* Jordan, E.G.), 325
Flood, A.V. (*see* Shone, M.G.T.), 309
Flowers, T.J. (*see* Hajibagheri, M.A.), 261
Fukshansky, L. (*see* Lork, W.), 33

Gale, J. (*see* Reuveni, J.), 623
Generozova, I.P. (*see* Vartapetian, B.B.), 65
Goeschl, J.D. (*see* Wu, H.I.), 563
Goldstein, G. (*see* Rada, F.), 501
Good, B.J. A method for controlling the within-root $CO_2$ concentration: technical report, 535
Goodwin, P.B. (*see* Erwee, M.G.), 173
Green, P.B. (*see* Baskin, T.I.), 595
Greenway, H. (*see* Dracup, M.N.H.), 149
Greenway, H. (*see* Atwell, B.J.), 179
Greer, D.H. & Stanley, C.J. Regulation of the loss of frost hardiness in *Pinus radiata* by photoperiod and temperature, 111
Greppin, H. (*see* Bonzon, M.), 303

Hajibagheri, M.A. & Flowers, T.J. Salt tolerance in the halophyte *Suaeda maritima* (L.) Dum. The influence of the salinity of the culture solution on leaf starch and phosphate content, 261
Helder, R.J. Diffusion of inorganic carbon across an unstirred layer: a simplified quantitative approach, 399

Hodson, M.J., Öpik, H. & Wainwright, S.J. Change in ion and water content of individual shoot organs in a salt-tolerant and salt-sensitive clone of *Agrostis stolonifera* L. during and subsequent to treatment with sodium chloride, 657
Holmes, J.W. (*see* Wronski, E.B.), 613
Hughes, J.E. Morgan, D.C. & Black, C.R. Transmission properties of an oak canopy in relation to photoperception, 509

Iino, M. (*see* Baskin, T.I.), 595
Ishikawa, M. & Sakai, A. Extraorgan freezing in wintering flower buds of *Cornus officinalis* Sieb. et Zucc., 333

Jacoby, B. & Rudich, B. Sodium fluxes in corn roots: comparison to Cl and K fluxes, and to Na-fluxes in barley, 235
Jaspers, P.A.P.M. (*see* Cone, J.W.), 605
Jenkins, J.T. & Proctor, M.C.F. Water velocity, growth-form and diffusion resistances to photosynthetic $CO_2$ uptake in aquatic bryophytes, 317
Johnson, I.R. & Thornley, J.H.M. Dynamic model of the response of a vegetative grass crop to light, temperature, and nitrogen, 485
Johnston, A.M. (*see* Raven, J.A.), 417
Jones, H.G. Partitioning stomatal and non-stomatal limitations to photosynthesis, 95
Jordan, E.G., Cooper, P.J., Martini, G., Bennett, M.D. & Flavell, R.B. The effect of temperature and ageing on root apical meristems during seedling growth of *Triticum aestivum* L.: a specific effect on nucleoli, *325*

Kallarackal, J. & Milburn, J.A. Phloem sap exudation in *Ricinus communis*: elastic responses and anatomical implications, 239
Katou, K. (*see* Mizuno, A.), 525
Katou, K. (*see* De Boer, A.H.), 579
Kaur, A., Sheoran, I.S. & Singh, R. Effect of water stress on the enzymes of nitrogen metabolism in mung bean (*Vigna radiata* Wilczeck) nodules, *195*
Kendrick, R.E. (*see* Cone, J.W.), 605
Kent, L.M. & Läuchli, A. Germination and seedling growth of cotton: salinity–calcium interactions, *155*
Kikuta, S.B., Kyriakopoulos, E. & Richter, H. Leaf hygrometer v. pressure chamber: a comparison of pressure volume curve data obtained on single leaves by alternating measurements: technical report, 363
Knox, J.P. & Dodge, A.D. Isolation and activity of the photodynamic pigment hypericin, 19
Koch, G. (*see* Schulze, E.-D.), 713
Kojima, H. (*see* Mizuno, A.), 525
Kojima, H. (*see* De Boer, A.H.), 579
Kramer, P.J. An early discussion of cell water relations in thermodynamic terminology, 171
Krizek, D.T., Semeniuk, P., Moline, H.E., Mirecki, R.M. & Abbott, J.A. Chilling injury in coleus as influenced by photosynthetically active radiation, temperature and abscisic acid pretreatment. I. Morphological and physiological responses, 135
Kuiper, P.J.C. (*see* De Kok, L.J.), 189
Kyriakopoulos, E. (*see* Kikuta, S.B.), *363*

Laing, W.A. & Browse, J. A dynamic model for photosynthesis by an aquatic plant, *Egeria densa*, 639
Laties, G.G. (*see* Tucker, M.L.), 117
Läuchli, A. (*see* Kent, L.M.), *155*
Legg, B.J. Exchange of carbon dioxide between vegetation and the atmosphere, 409
Levitt, J. Relationship of dehydration rate to drought avoidance, dehydration tolerance and dehydration avoidance of cabbage leaves, and to their acclimation during drought-induced water stress, 287
Lork, W. & Fukshansky, L. The influence of chlorophyll fluorescence on the light gradients and the phytochrome state in a green model leaf under natural conditions, 33
Lovatt, C.J. Relationship between the activity of the orotic acid pathway and glucose content of roots of *Cucurbita pepo*, 59

McKee, K.L. (*see* Mendelssohn, I.A.), 213
Maas, F.M. (*see* De Kok, L.J.), 189
Manga, V.A. & Sharma, R. Nutrient-mediated shift in temporal expression of phytochrome controlled $\beta$-amylase synthesis in mustard (*Sinapis alba* L.) cotyledons, 339
Marre, M.T. (*see* Bellando, M.), 231
Martini, G. (*see* Jordan, E.G.), 325
Meinzer, F. (*see* Rada, F.), 501
Mendelssohn, I.A. & McKee, K.L. The effect of nutrients on adenine nucleotide levels and the adenylate energy charge ratio in *Spartina alterniflora* and *Spartina patens*, 213
Milburn, J.A. (*see* Kallarackal, J.), 239
Minorsky, P.V. An heuristic hypothesis of chilling injury in plants: a role for calcium as the primary physiological transducer of injury, 75
Mirecki, R.M. (*see* Krizek, D.T.), 135
Mitchell, C.A. (*see* Pappas, T.), 143
Mizuno, A., Kojima, H., Katou, K. & Okamoto, H. The electrogenic proton pumping from parenchyma symplast into xylem—direct demonstration by xylem perfusion: short communication, 525
Mizuno, A. (*see* De Boer, A.H.), 579
Mohamed, H.A., Clark, J.A. & Ong, C.K. The influence of temperature during seed development on the germination characteristics of millet seeds: short communication, 361
Mohr, H. (*see* Oelmüller, R.), 27
Moline, H.E. (*see* Krizek, D.T.), 135
Mooney, H.A. (*see* Schulze, E.-D.), *713*
Morgan, D.C., Warrington, I.J. & Rook, D.A. Some observations on the spectral distribution characteristics of short-wave radiation within *Pinus radiata* D. Don canopies, 201
Morgan, D.C. (*see* Hughes, J.E.), 509
Morison, J.I.L. Sensitivity of stomata and water use efficiency to high $CO_2$, 467

Nemson, J.A. (*see* Waldron, L.J.), *207*

Oelmüller, R. & Mohr, H. Specific action of blue light on phytochrome-mediated enzyme syntheses in the shoot of milo (*Sorghum vulgare* Pers), 27
Ögren, E. & Baker, N.R. Evaluation of a technique for the measurement of chlorophyll fluorescence from leaves exposed to continuous white light: technical report, 539
Okamoto, H. (*see* Mizuno, A.), *525*
Okamoto, H. (*see* De Boer, A.H.), 579
Ong, C.K. (*see* Mohamed, H.A.), 361
Öpik, H. (*see* Hodson, M.J.), 657
Osborne, B.A. (*see* Raven, J.A.), 417

Pappas, T. & Mitchell, C.A. Effects of seismic stress on the vegetative growth of *Glycine max* (L.) Merr. cv. Wells II, 143
Parkinson, K.J. A simple method for determining the boundary layer resistance in leaf cuvettes, 223
Patrick, J.W. (*see* Van Bel, A.J.E.), 1
Paul, Jr., R.N. (*see* Egley, G.H.), 253
Pelkonen, P. (*see* Vapaavuori, E.M.), 531
Percival, M.P. & Baker, N.R. Comparison of chlorophyll fluorescence emission characteristics of wheat leaf tissue and isolated thylakoids as a function of excitation wavelength, 41
Percival, F. (*see* Schulze, E.-D.), 713
Pesci, P. & Beffagna, N. Effects of weak acids on proline accumulation in barley leaves: a comparison between abscisic acid and isobutyric acid, 129
Priestley, D.A., Cullinan, V.I. & Wolfe, J. Differences in seed longevity at the species level, *557*
Prins, H.B.A. (*see* De Boer, A.H.), 587
Pritchard, H.W. Determination of orchid seed viability using fluorescein diacetate, 727
Proctor, M.C.F. (*see* Jenkins, J.T.), 317

Rada, F., Goldstein, G., Azocar, A. & Meinzer, F. Freezing avoidance in Andean giant rosette plants, 501
Rand, R.H. (*see* Stroshine, R.L.), 7

Rapsch, S. (*see* Ascaso, C.), 651
Raven, J.A., Osborne, B.A. & Johnston, A.M. Uptake of $CO_2$ by aquatic vegetation, 417
Reuveni, J. & Gale, J. The effect of high levels of carbon dioxide on dark respiration and growth of plants: short communication, 623
Richter, H. (*see* Kikuta, S.B.), 363
Ritchie, G.A. & Roden, J.R. Comparison between two methods of generating pressure–volume curves, 49
Roden, J.R. (*see* Ritchie, G.A.), 49
Romani, G. (*see* Bellando, M.), 231
Rook, D.A. (*see* Morgan, D.C.), 201
Rudich, B. (*see* Jacoby, B.), 235

Saini, H.S., Bassi, P. & Spencer, M.S. Seed germination in *Chenopodium album* L.: further evidence for the dependence of the effects of growth regulators on nitrate availability, 707
Sakai, A. (*see* Ishikawa, M.), 333
Schulze, E.-D., Koch, G., Percival, F., Mooney, H.A. & Chu, C. The nitrogen balance of *Raphanus sativus* × *raphanistrum* plants. I. Daily nitrogen use under high nitrate supply, 713
Seiler, J.R. Morphological and physiological changes in black alder induced by water stress, 219
Semeniuk, P. (*see* Krizek, D.T.), 135
Singh, R. (*see* Kaur, A.), 195
Sharma, R. (*see* Manga, V.A.), 339
Sharpe, P.J.H. (*see* Wu, H.), 269
Sharpe, P.J.H. (*see* Wu, H.I.), 563
Sheoran, I.S. (*see* Kaur, A.), 195
Shone, M.G.T. & Flood, A.V. Measurement of free space and sorption of large molecules by cereal roots, 309
Shugart, H.H. & Emanuel, W.R. Carbon dioxide increase: the implications at the ecosystem level, 381
Sivak, M.N. & Walker, D.A. Chlorophyll *a* fluorescence: can it shed light on fundamental questions in photosynthetic carbon dioxide fixation? 439
Smith, H. (*see* Bliss, D.), 475
Smith, S.V. Physical, chemical and biological characteristics of $CO_2$ gas flux across the air–water interface, 387
Spence, R.D. (*see* Wu, H.), 269
Spence, R.D. (*see* Wu, H.I.), 563
Spencer, M.S. (*see* Bassi, P.K.), 161
Spencer, M.S. (*see* Saini, H.S.), 707
Stanley, C.J. (*see* Greer, D.H.), 111
Stroshine, R.L., Rand, R.H., Cooke, J.R., Cutler, J.M. & Chabot, J.F. An analysis of resistance to water flow through wheat and tall fescue leaves during pressure chamber efflux experiments, 7
Sykes, S.R. (*see* Douglas, T.J.), 693

Terry, N. (*see* Waldron, L.J.), 207
Thomson, C.J. (*see* Atwell, B.J.), 179
Thornley, J.H.M. (*see* Johnson, I.R.), 485
Tucker, M.L. & Laties, G.G. The dual role of oxygen in avocado fruit respiration: Kinetic analysis and computer modelling of diffusion-affected respiratory oxygen isotherms, 117
Turner, N.C. (*see* Wronski, E.B.), 613

Van Bel, A.J.E. (*see* Erwee, M.G.), 173
Van Bel, A.J.E. & Patrick, J.W. Proton extrusion in seed coats of *Phaseolus vulgaris* L., 1
Vapaavuori, E.M. & Pelkonen, P. $HCO_3^-$ uptake through the roots and its effect on the productivity of willow cuttings: short communication, 531
Vartapetian, B.B., Zakhmylova, N.A. & Generozova, I.P. Ultrastructure of wheat coleoptile mitochondria at short-term anoxia and post-anoxia, 65
Vaughn, K.C. (*see* Egley, G.H.), 253

Wagner, E. (*see* Bonzon, M.), 303
Wainwright, S.J. (*see* Hodson, M.J.), 657
Waldron, L.J., Terry, N. & Nemson, J.A. Diurnal cycles of leaf extension in unsalinized and salinized *Beta vulgaris*, 207
Walker, D.A. (*see* Sivak, M.N.), 439
Wang, X.-D. & Canny, M.J. Loading and translocation of assimilate in the fine veins of sunflower leaves, 669
Ward, G. (*see* Atwell, B.J.), 179
Warrington, I.J. (*see* Morgan, D.C.), 201
Waters, I. (*see* Atwell, B.J.), 179
Werk, K.S. & Ehleringer, J. Photosynthetic characteristics of *Lactuca serriola* L., 345
Wolfe, J. (*see* Priestley, D.A.), 557
Wronski, E.B., Holmes, J.W. & Turner, N.C. Phase and amplitude relations between transpiration, water potential and stem shrinkage, 613
Wu, H., Sharpe, P.J.H. & Spence, R.D. Stomatal mechanics. III. Geometric interpretation of the mechanical advantage, 269
Wu, H.I., Spence, R.D., Sharpe, P.J.H., Goeschl, J.D. Cell wall elasticity: I. A critique of the bulk elastic modulus approach and an analysis using polymer elastic principles, 563

Zaccheo, P., Cocucci, M. & Cocucci, S. Effects of Cr on proton extrusion, potassium uptake and transmembrane electric potential in maize root segments, 721
Zakhmylova, N.A. (*see* Vartapetian, B.B.), 65

**Book reviews**

*Books recieved*

Crozier, A. & Hillman, J.R. (ed.) The Biosynthesis and Metabolism of Plant Hormones, 549
Dugger, W.M. & Bartnicki-Garcia, S. (ed.) Structure, Function, and Biosynthesis of Cell Walls, 227
Fuchs, Y. & Chalutz, E. (eds) Ethylene, Biochemical, Physiological and Applied Aspects, 298
Gimmler, H. (ed.) Julius Sachs und die Pflanzenphysiologie heute, 229
Graham, C.F. & Wareing, P.F. (ed.) Developmental Control in Animals and Plants, 167
Grierson, D. & Clovey, S. Plant Molecular Biology, 369
Hanan, J.J. Plant Environment Measurement, 369
Harwood, J.L. & Russell, N.J. Lipids in Plants and Microbes, 297
Jennings, D.H. & Rayner, A.D.M. (eds) The Ecology and Physiology of the Fungal Mycelium, 299
Johri, B.M. (ed.) Embryology of Angiosperms, 630
Kosuge, T. & Nester, E.W. (ed.) Plant–Microbe Interactions. Molecular and Genetic Perspectives, 553
Linskens, H.F. & Heslop-Harrison, J. (ed.) Encyclopedia of Plant Physiology, New Series, Volume 17. Cellular Interactions, 227
Malacinski, G.M. (ed.) The Pattern of Pattern Formation. A Review of Pattern Formation: A Primer in Developmental Biology, 300
Meidner, H. Class Experiments in Plant Physiology, 229
Menhenett, R. & Lawrence, D.K. (eds) Biochemical Aspects of Synthetic and Naturally Occurrring Plant Growth Regulators, Monograph No. 11, 297
Miflin, B.J. (ed.) Oxford Survey of Plant Molecular and Cell Biology, 168
Old, R.W. & Primrose, S.B. Principles of Gene Manipulation: An Introduction to Genetic Engineering, 554
Palmer, J.M. (ed.) The Physiology and Biochemistry of Plant Respiration, 629
Round, F.E. The Ecology of Algae, 70
Scott, T.K. (ed.) Encyclopedia of Plant Physiology, New Series, Vol. 10. Hormonal Regulation of Development. II. The Functions of Hormones from the Level of the Cell to the Whole Plant, 551
Sharma, M.L. (ed.) Evapotranspiration from Plant Communities, 228
Silver, W.S. & Schroder, E.C. (eds) Practical Application of *Azolla* for Rice Production. Developments in Soil Sciences Volume 13, 298
Street, H.E. & Öpik, H. (ed.) The Physiology of Flowering Plants: Their Growth and Development, 69
Wareing, P.F. & Smith, H. (ed.) Photoperception by Plants, 70
Wood, R.K.S. & Jellis, G.J. (ed.) Plant Diseases. Infection, Damage and Loss, 552

*Reviewers*

Beevers, H., 297
Billett, M.A., 167, 554
Callow, J.A., 553
Day, W., 369
Dixon, R.O.D., 299
Draper, J., 168
Dring, M.J., 70
Gardner, G., 549
Garrod, D.R., 301
Gooday, G.W., 227
Gornal, R.J., 630
Grace, J., 228
Long, P.E., 300
Lucas, J., 552
Mohr, H., 229
Newbury, H.J., 229
Raven, J.A., 629
Shropshire, W., Jr, 70
Smith, D.C., 227
Steffens, G.L., 298
Trewavas, A.J., 69, 298, 551
Walden, R., 369

# Subject index


Abscisic acid, 129, 135
*Abutilon theophrasti*, 55
Acclimation, 287, 303
Acid extrusion, 231
Action spectra, 605
Adenine nucleotides, 213
Adsorption, 309
Ageing, 557
*Agrostis stolonifera* L., 657
Allometry, 247
*Alnus glutinosa*, 219
Alternative oxidase, 117
Anaerobiosis, 535
Anoxia, 65
Apoplast water, 363
Aquatic bryophytes, 317
Aquatic photosynthesis, 639
*Arabidopsis thaliana*, 605
Assimilate loading, 669
Assimilate transport, 1
Atmosphere, 409
Atmospheric carbon dioxide, 623
Autoradiography (water solubles), 275
Auxin, 351, 579, 595
Avocado, 117
Avoidance, 287

$\beta$-amylase, 339
Barley, 129, 235, 571
*Berberis aquifolium*, 631
Betulaceae, 219
Bicarbonate, 449
Bicarbonate pump, 639
Binding, 351
Biological rhythms, 303
Biphasic response, 605
Blue light, 595
Blue light effect on responsiveness to Pfr, 27
Blue : red ratio, 201
Boundary layer, 409
Boundary layer resistance, 223
Brassicaceae, 339
*Brassica oleracea* var. *capitata*, 287
Bulk elastic modulus, 563
Bushbean, 1

$C_3$, 417
$C_4$, 417
$C_3$ plants, 449
Cabbage, 287
$CaCO_3$ reactions, 387
CAM, 417
Canopy, 409
Capacitance, 613
Carbon cycle, 371
Carbon dioxide, 371, 381, 409, 427, 449, 459, 623
Carbon dioxide fixation, 459
Castor bean, 239
Cell wall elasticity, 563
Cereals, 247
*Chara corallina*, 105
Chemical enhancement, 387
Chenopodiaceae, 707
*Chenopodium album* L., 707
Chilling injury, 75, 135
Chilling–light interactions, 135
Chloride, 657
Chlorophyll, 41, 539
Chlorophyll content, 651
Chlorophyll fluorescence, 33, 439
Chloroplasts, 449
Cholodny–Went hypothesis, 595
Chromium o.n. + 6, 721
Citrus hybrids, 693
Citrus roots, 687
$Cl^-$ exclusion, 687, 693
Climate, 371
Climate models, 371
Climatic change, 371
$CO_2$, 467, 535
$CO_2$-concentrating mechanisms, 417
$CO_2$ uptake, 317
Cold hardiness, 333
Coleoptile, 65
Coleus, 135
*Coleus blumei* Benth., 135
*Commelina cyanae* (Commelinaceae), 173
Compass plant, 345
Compositae, 501
Corn, 235
*Cornus officinalis* Sieb. et Zucc. (Cornaceae), 333
Cotton, 155
Cow pea, 525, 579
*Crataegus monogyna* Jacq., 363
Critical oxygen pressure, 179
Cruciferae, 287
Cucurbitaceae, 59
*Cucurbita pepo*, 59
Cuticle, 631
Cuvette, 223
Cytochrome oxidase, 117
Cytology, 325
Cytoplasmic pH, 459
Cytosolic $Ca^{2+}$, 75

Dark respiration, 623
*Datura stramonium*, 55
Daylight, 201, 509
Dehardening, 111
Dehydration, 287
Dendrometer, 613
4-desmethylsterols, 687
Deterioration, 557
Development, 325
Developmental homeostasis, 339
Dextran, 309
Differential thermal analysis, 333
Diffusion, 117, 387, 399, 449
Diffusion resistance, 95, 317
Dormancy, 707
Douglas fir, 49
Drop size population, 247
Drought, 287
Dry autoradiography, 669

Ecological effects, 381
Ecosystem, 381
*Egeria densa*, 639
Elastic modulus, 239
Electrogenic ion pump, 525
Electrogenic xylem pumps, 579, 587
Electron microscopy, 325
Energy charge, 117, 213
Energy metabolism, 303
Environment, 571
Environmental stress, 179
Enzymes of nitrogen metabolism, 195
Epicuticular wax, 631

Epidermal cell, 269
*Espeletia spicata*, 501
*Espeletia timotensis*, 501
Ethylene, 707
Ethylene analysis, 161
Evaporation, 247
Euphoribiaceae, 239
Extraorgan freezing, 333

Fabaceae, 1
Fatty acids, 571
Feedback, 117
Fibrous roots, 693
*Fontinalis antipyretica*, 317
Forests, 381
Frailejón, 501
*Fraxinus pennsylvanica* Marsh., 535
Free space, 309
Freeze-substitution, 275
Freezing avoidance, 501
Freezing injury, 333
Flame ionization detector, 161
Flower buds, 333
Flowering process, 303
Fluence-response curve, 605
Fluorescein diacetate (FDA), 727
Fluorescence kinetics, 41, 539
Fluorescence spectra, 41
Fluorescent probe, 173
Flux, 409
Frost, 111
Fusicoccin, 129, 579, 587

Gas chromatography, 161
Genotype, 571
Germination, 155, 361, 707
Gibberellin, 707
Glaucousness, 631
Global carbon balance, 387
Glucose content, 59
Glutathione, 189
*Glycine max*, 55, 143
*Gossypium hirsutum* L., 155
Graminae, 235, 325, 595
Grass, 485
Greenhouse effect, 371
Growth, 623
Growth regulation, 579
Guard cells, 173, 269

Hairy St John's wort, 19
Halophyte, 149, 261
$HCO_3^-$, 417
$HCO_3^-$-uptake, 531
*Helianthus annuus*, 669
Higher plant, 427
High-resolution growth measurement, 595
*Hordeum vulgare*, 129, 235, 309, 571
Hydrogen sulphide, 189
Hypericaceae, 19
Hypericin, 19
*Hypericum hirsutum*, 19
Hypothesis, 75

Ice nucleation, 333
Indole-3-acetic acid, 351
Induction, 439
Inhibition, 231
Inorganic carbon, 399
Intermediary cells, 669
Intracellular pH, 129, 459
Ion concentrations, 657
Isobutyrate, 129

Kinetics, 117
K/Na-selectivity, 155
$K^+$ uptake, 721

*Lactuca serriola*, 345
Lamb's-quarters, 707
Lamiaceae, 135
Leaching (water solubles), 275
Leaf, 173, 539
Leaf boundary layer, 95
Leaf canopies, 509
Leaf conductance, 219
Leaf extension, 207
Leaf growth, 207
Leaf growth dynamics, 207
Leaf hygrometer, 363
Leaf orientation, 345
Leaf pigments, 509
Leaf reflectance, 33
Leaf transmittance, 33
Leaf veins, 275, 669
Leaf water potential measurement, 7
Leguminosae, 143, 253, 525, 579
Light, 475, 485, 707
Light acclimation, 701
Light gradient, 33
Light intensity, 143
Lignification phenolics, 253
Limitations, 439
Longevity, 557
Low fluence response, 605
Low temperature, 75

Maintenance-respiration, 623
Maize, 179, 595
Maize roots, 721
Malvaceae, 155, 253
Mannitol, 309
Mathematical analysis, 7
Mechanical advantage, 269
*Medicago sativum*, 623
Membrane transport, 449
Mesophyll cells, 449
Mesophyll resistance, 95
Millet, 361
Milo, 27
Mitochondria, 65
Model, 381, 399, 485
Modelling, 639
Morphological changes, 135
Mung bean, 195
Mustard, 339

*Nardia compressa*, 317
$NH_4^+$ effects, 105
Nitrate, 707
Nitrate accumulation, 713
Nitrogen partitioning, 701
Nitrate reduction, 713
Nitrate transport, 713
Nitrate uptake, 517, 713
Nitrogen, 485
Nodules, 195
$NO_3^-$ efflux, 105
19-nonacosanol, 631
Nucleolus, 325
Nucleus, 275
Nutrients, 213

Oak, 509
Orchidaceae, 727
Organic metabolism, 387
Oscillations, 439

Osmotic adjustment, 219
Osmotic potential, 49, 363
Oxygen, 117
Oxygen inhibition, 639

PD, 721
Peach, 701
PEP carboxylase, 459
Peroxidase, 253
*Persea americana* Mill. cv. Hass, 117
pH regulation, 459, 587
Phase relationships, 303
*Phaseolus vulgaris*, 1
Phloem, 239
Phloem loading, 275
Phloem parenchyma, 669
Phloem unloading, 1
Phosphate, 261, 439
Phospholipid/sterol ratio, 693
Photodynamic action, 19
Photoinhibition, 135
Photoionization detector, 161
Photomorphogenesis, 339
Photoperception, 509
Photoperiod, 111
Photosynthesis, 95, 317, 345, 409, 439, 539
Photosynthetic capacity, 701
Photosynthetic limitations, 95
Phototropism, 595
Physiological changes, 135
Physiological transduction, 75
Phytochrome, 475, 509, 605
Phytochrome action, 27
Phytochrome photoequilibrium, 201
Phytochrome-phototransformation, 33
(Phyto-)hormone, 351
Pinaceae, 49, 111
*Pinus radiata* D. Don, 111, 201
*Pisum sativum*, 517
Plant growth regulator, 351
Plant water movement, 7
*Plantago maritima* L., 587
Plants, 75, 161
Plasma membranes, 687
Polyethylene glycol, 309
Polymer mechanics, 563
*Populus tremula* L., 363
Potassium, 657
Potassium uptake, 231
Pressure chamber, 7, 49, 363
Pressure–volume curve, 49, 363
Pressure–volume relations, 563
Pressurized xylem perfusion, 579, 587
Probabilistic model, 247
Productivity, 531
Proline accumulation, 129
Proton extrusion, 525, 721
Proton pump, 1, 129
Protoplasts, 149
*Pseudotsuga menziesii*, 49
Pyrimidine biosynthesis, 59

*Quercus*, chloroplast ultrastructure of, 651
*Quercus robur*, 509

*Raphanus*, 713
Rate of dehardening, 111
Receptor, 351
Red : far-red ratio, 201
Reflectance, 631
Regulation, 117
Regulation of enzyme synthesis by light, 27
Relative growth rate, 143
Remote sensing, 509
Respiration, 117, 427
Responsiveness to Pfr, 27
*Rhizobium leguminosarum*, 517
*Ricinus communis*, 239
Root gas control, 535
Root gases, 535
Root growth, 155
Roots, 179, 235, 309, 531

*Salicaceae*, 531
Salinity, 149, 155, 207
Salinity–calcium relations, 155
*Salix*, 531
Salt marsh, 213
Salt tolerance, 149, 261, 657
Sap exudation, 239
*Scapania undulata*, 317
Secondary alcohol, 631
Seed, 707
Seed coat, 1, 253
Seed germination, 475, 605
Seed viability, 361, 727
Seedling growth, 155
Seeds, 557
Seismomorphogenesis, 143
Shadelight, 201, 509
Short-wave radiation, 201
Sieve tubes, 669
Simulation, 381
*Sinapis alba* L., 339
Singlet oxygen, 19
Sky, clear, 201
Sky, overcast, 201
Sodium, 309, 657
Sodium transport, 235
Soil, 475
Soil gases, 535
*Sorghum vulgare*, 27
Soybean, 143
*Spartina*, 213
Spectral distribution, 201
Spectrum, 631
*Spinacia oleracea*, 189, 303
Squash, 59
Staining, 727
Starch, 261
Stem shrinkage, 613
Stomata, 95, 269, 467
Stomatal conductance, 55
Storage, 557
Stress ecology, 213
*Suaeda maritima*, 149, 261
Sucrose concentration, 275
Sulphur dioxide, 189
Sunflower, 669
Supercooling, 333, 501
Symplast, 173, 275

Tall fescue leaves, 7
Temperature, 111, 325, 361, 485
Temperature function, 111
Theoretical approach, 33
Thylakoids, 41, 539
Tolerance, 287
Total protein sylphydryl, 189
Transfer cells, 669
Translocation, 669
Translocation (assimilates), 275
Transpiration, 345, 613
*Triticum aestivum*, 275, 325
*Triticum durum* L., 363
Turbulence, 409

Turbulent diffusion, 409
Turgor pressure, 269

Ultrastructure, 65
Uncoupled-respiration, 623
Unstirred layers, 417
Uptake, 449

Vacuoles, 149
Vapour pressure deficit, 55
Vascular tissues, 333
*Viburnum opulus* L., 363
*Vigna radiata*, 195
*Vigna unguiculata*, 525, 579

Water content, 657
Water drops, 247
Water-impermeability, 253
Water potential, 49, 613
Water relations, 333, 613
Water stress, 195
Water use efficiency, 467
Wetness persistence, 247
Wettability, 631
Wheat, 65, 325
Wheat leaf, 7, 41
Willow, 531
Wind, 55
Woodland habitat, 509

*Xanthium strumarium*, 623
Xanthoxylin, 231
Xylem perfusion, 525
Xylem resistance, 7

*Zea mays*, 235, 309, 595, 721